

Quality Improvement Targets and Initiatives October 2017

| Objective | Measure | Current Performance | Target for 2017/2018 | Target Justification | Planned Improvement Initiatives |
|---|--|--|----------------------|----------------------|--|
| Reduce incidence of new pressure ulcers | % of Residents who developed a new stage 2 to 4 pressure ulcer during the previous 90 days | (Q1 2015) 1.7% (Q2 2015) 1.5% (Q3 2015) 1.1% (Q4 2015) 0.9% (Q1 2016) 1.3% (Q2 2016) 1.4% (Q3 2016) 1.9% (Q4 2016) 2.5% | Less than 3% | WRHA mean rates | <ul style="list-style-type: none"> • Level 1 and level 2 education targeted for all full and part time nurses • Review and revise wound care policies and procedures • Focus on heel ulcer prevention • HCA focused wound care education |
| | % of Residents who have a stage 2-4 pressure ulcer. | (Q1 2015) 4.1% (Q2 2015) 3.4% (Q3 2015) 3.2% (Q4 2015) 2.8% (Q1 2016) 3.4% (Q2 2016) | | | |

| Objective | Measure | Current Performance | Target for 2017/2018 | Target Justification | Planned Improvement Initiatives |
|---|--|--|----------------------|----------------------|---------------------------------|
| | | 3.6% (Q3 2016) 3.3% (Q4 2016) 3.9% | | | |
| Promote healing of existing pressure ulcers | Worsening Stage 2-4 Pressure Ulcers | (Q1 2015) 2.0% (Q2 2015) 2.2% (Q3 2015) 1.5% (Q4 2015) 1.3% (Q1 2016) 1.7% (Q2 2016) 1.3% (Q3 2016) 2.3% (Q4 2016) 2.0% (Q4 2016) 2.6% | Less than 2.8% | WRHA mean rates | |
| Reduce utilization of antipsychotic medications in residents without a diagnoses of psychosis | % of Residents on antipsychotic medications without a diagnoses of psychosis | (Q1 2015) 23.9% (Q2 2015) 23.6% (Q3 2015) 20.9% (Q4 2015) 18.4% (Q1 2016) 16.4% (Q2 2016) 16.0% (Q3 2016) 17.9% | Under 21.8% | WRHA mean rates | |

| Objective | Measure | Current Performance | Target for 2017/2018 | Target Justification | Planned Improvement Initiatives |
|---------------------------|---|--|----------------------|---|--|
| | | (Q4 2016) 19.8% | | | |
| Reduce incidence of falls | % of Residents Who Fell in Previous 30 Days | (Q1 2015) 11.2% (Q2 2015) 12.6% (Q3 2015) 13.2% (Q4 2015) 12.2% (Q1 2016) 13.6% (Q2 2016) 15.5% (Q3 2016) 16.0% (Q4 2016) 16.6% | Less than 15.9% | WRHA mean rate | <ul style="list-style-type: none"> • Falls Risk Assessment Tool • Falls prevention equipment in place including: <ul style="list-style-type: none"> ○ Fall mats ○ Low beds ○ Bed/Chair alarms ○ Hip protectors • High risk for falls logo in place |
| | Number of Falls per 1000 Resident Days | (Q1 2015) N/A (Q2 2015) 11.6% (Q3 2015) 10.6% (Q4 2015) 9.9% (Q1 2016) 11.7% (Q2 2016) 12.8% (Q3 2016) 10.4% (Q4 2016) 9.9% | Less than 11.0 | Literature review revealed rates ranging from 11-24.9 | |